

兔抗 PAK1 (Phospho-Thr212)多克隆抗体

中文名称: 兔抗 PAK1 (Phospho-Thr212)多克隆抗体

英文名称: Anti-PAK1 (Phospho-Thr212) rabbit polyclonal antibody

别 名: PAKalpha

相关类别: 一抗

储 存: 冷冻(-20℃) 避光

宿 主: Rabbit

抗 原: PAK1 (Phospho-Thr212)

反应种属: Human, Mouse, Rat

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:	The activated kinase acts on a variety of targets. Likely to be the GTPase effector that links the Rho-related GTPases t o the JNK MAP kinase pathway. Activated by CDC42 and R AC1. Involved in dissolution of stress fibers and reorganizat ion of focal complexes. Involved in regulation of microtubul e biogenesis through phosphorylation of TBCB. Activity is i nhibited in cells undergoing apoptosis, potentially due to bi nding of CDC2L1 and CDC2L2.
Applications:	WB, IHC, IF
Name of antibody:	PAK1 (Phospho-Thr212)
Immunogen:	Synthetic peptide of human PAK1 (Phospho-Thr212)
Full name:	p21 protein (Cdc42/Rac)-activated kinase 1 (Phospho-Thr212)



www.shjning.com

Synonyms:	PAKalpha
SwissProt:	Q13153
IHC positive control:	Human breast carcinoma
IHC Recommend dilution:	50-100
WB Predicted band size:	68 kDa
WB Positive control:	293 cells untreated or treated with forskolin
WB Recommended dilution:	
IF Positive control:	Hela cells
IF Recommended dilution	100-200









