

兔抗 NAPA 多克隆抗体

中文名称：兔抗 NAPA 多克隆抗体

英文名称：Anti-NAPA rabbit polyclonal antibody

别名：SNAPA

抗原：NAPA

储存：冷冻（-20℃）

宿主：Rabbit

相关类别：一抗

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	This gene encodes a member of the soluble NSF attachment protein (SNAP) family. SNAP proteins play a critical role in the docking and fusion of vesicles to target membranes as part of the 20S NSF-SNAP-SNARE complex. The encoded protein plays a role in the completion of membrane fusion by mediating the interaction of N-ethylmaleimide-sensitive factor (NSF) with the vesicle-associated and membrane-associated SNAP receptor (SNARE) complex, and stimulating the ATPase activity of NSF. Alternatively spliced transcript variants have been observed for this gene.
Applications:	ELISA, WB, IHC
Name of antibody:	NAPA

Immunogen:	Fusion protein of human NAPA
Full name:	N-ethylmaleimide-sensitive factor attachment protein, alpha
Synonyms :	SNAPA
SwissProt:	P54920
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human liver cancer and Human colon cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	33 kDa
WB Positive control:	Hela and Jurkat cells, human liver cancer and mouse brain tissue
WB Recommended dilution:	500-2000



