

兔抗 NAMPT 多克隆抗体

中文名称: 兔抗 NAMPT 多克隆抗体

英文名称: Anti-NAMPT rabbit polyclonal antibody

别名: VF; PBEF; PBEF1; VISFATIN; 1110035O14Rik

抗 原: NAMPT

储 存: 冷冻(-20℃)

宿 主: Rabbit

相关类别: 一抗

反应种属: Human, Mouse, Rat

标记物: Unconjugate

克隆类型: rabbit polyclonal


技术规格

Background:	This gene encodes a protein that catalyzes the condensati on of nicotinamide with 5-phosphoribosyl-1-pyrophosphat e to yield nicotinamide mononucleotide, one step in the biosynthesis of nicotinamide adenine dinucleotide. The protein belongs to the nicotinic acid phosphoribosyltransfer ase (NAPRTase) family and is thought to be involved in many important biological processes, including metabolis m, stress response and aging. This gene has a pseudoge ne on chromosome 10.
Applications:	ELISA, WB, IHC
Name of antibody:	NAMPT
Immunogen:	Fusion protein of human NAMPT
Full name:	Nicotinamide phosphoribosyltransferase
Synonyms:	VF; PBEF; PBEF1; VISFATIN; 1110035O14Rik



www.shjning.com

SwissProt:	P43490
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human colon cancer and Human thyroid cancer
IHC Recommend dilution:	50-200
WB Predicted band size:	56 kDa
WB Positive control:	A375, 293T cells and mouse liver tissue, Jurkat cells and human fetal kidney tissue
WB Recommended dilution:	500-2000





www.shjning.com

