

兔抗 FUK 多克隆抗体

中文名称: 兔抗 FUK 多克隆抗体

英文名称: Anti-FUK rabbit polyclonal antibody

别 名: fucose kinase; FUK; 1110046B12Rik

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: FCSK

反应种属: Human, Mouse

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:	The protein encoded by this gene belongs to the GH MP (galacto-, homoserine, mevalonate and phosphom evalonate) kinase family and catalyzes the phosphoryl ation of L-fucose to form beta-L-fucose 1-phosphate. This enzyme catalyzes the first step in the utilization of free L-fucose in glycoprotein and glycolipid synthe sis. L-fucose may be important in mediating a number of cell-cell interactions such as blood group antigen recognition, inflammation, and metastatis. While sever all transcript variants may exist for this gene, the full-length nature of only one has been described to dat e. [provided by RefSeq, Jul 2008]
Applications:	ELISA, IHC
Name of antibody:	FCSK



Immunogen:	Fusion protein of human FCSK
Full name:	fucose kinase
Synonyms:	FUK; 1110046B12Rik
SwissProt:	Q8N0W3
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human colorectal cancer and Human tonsil
IHC Recommend dilution:	150-300





