

兔抗 VTI1B 多克隆抗体

- 中文名称: 兔抗 VTI1B 多克隆抗体
- 英文名称: Anti-VTI1B rabbit polyclonal antibody
- 别 名: VTI1; VTI2; VTI1L; v-SNARE; vti1-rp1; VTI1-LIKE
- 抗 原: VTI1B
- 储 存: 冷冻 (-20℃)
- 宿 主: Rabbit
- 相关类别: 一抗
- 反应种属: Human, Mouse, Rat
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

技术规格

WB Recommended dilution:	500-2000
WB Positive control:	Human kidney tissue , RAW264.7 cell,Mouse kidney ti ue,Human lung tissue,Human fetal liver tissue,Hela and 231 cell lysates
WB Predicted band size:	27 kDa
IHC Recommend dilution:	25-100
IHC positive control:	Human liver cancer and human esophagus cancer
ELISA Recommended dilution:	5000-10000
SwissProt:	Q9UEU0
Synonyms:	VTI1; VTI2; VTI1L; v-SNARE; vti1-rp1; VTI1-LIKE
Full name:	vesicle transport through interaction with t-SNAREs 1B
Immunogen:	Full length fusion protein
Name of antibody:	VTI1B



Applications:	ELISA, WB, IHC
	V-SNARE that mediates vesicle transport pathways t
	hrough interactions with t-SNAREs on the target m
	embrane. These interactions are proposed to media
Background:	te aspects of the specificity of vesicle trafficking an
	d to promote fusion of the lipid bilayers. May be c
	oncerned with increased secretion of cytokines asso
	ciated with cellular senescence.





